

Adarnation

INNOVATIVE WAREWASHING SOLUTIONS


PRICE LIST

Effective January, 2003



Carousel Dishmachines
Flight-Type Dishmachines
Rack Conveyor Dishmachines
Door-Type Dishmachines
Glasswashers
Pot & Pan Washers
Tray Accumulators & Conveyors
Food Waste Pulpers
Silverware Burnishers

THE COMPLETE DISHROOM - FROM ADAMATION



Adamation is Your Sole Source for a Complete Dishroom.

Adamation is the only manufacturer in the industry to design and build dishmachines, conveyors, accumulators, pulpers, and all your other dishroom needs under one roof. The complete Adamation dishroom system is set up and test run at the factory prior to shipment, meaning you can be assured of perfect fit and function on-site.

- A) Flexveyor Conveyor System
- B) Adamsveyor Conveyor System
- C) Tray Accumulator
- D) Glass Breakdown Station
- E) Silver Soak Tank
- F) Food Waste Pulper
- G) Interceptor
- H) Dishmachine
- I) Blower / Dryer
- J) Silver Sort Table
- K) Booster Heater
- L) Drop-off Frame and Ledge
- M) Light Fixture

CONTINUOUS CONVEYOR DISHMACHINES



Carousel Dishmachines are custom built to order. Contact Factory for pricing.

All Adamation Carousel Dishmachines are custom built-to-order and are available in a wide variety of shapes and sizes to meet the unique needs of any food service operation. Please contact your Adamation representative for a price quote and to consult on the exact machine for your requirements.



FLIGHT-TYPE DISHMACHINES



- Standard 25 1/2" High Wash Tunnel
- Includes Insulated Doors & Hoods
- Stainless Steel All-enclosed Unit

OPTIONS

Description	List Price
Booster Heater - Electric - 40° Rise	2,900
Booster Heater - Electric - 70° Rise	3,300
Booster Heater - Gas - 40° Rise	7,500
Booster Heater - Gas - 70° Rise	9,100
Booster Heater - Steam	2,600
Blower / Dryer (Electric)*	10,500
Blower / Dryer (Steam)*	11,500
Side Spraying Wash Arms (per tank)	2,200
Hinged Doors (per tank)	1,000
Waste System Transfer Pump	2,850
Pressure Reducing Valve	180
Hose Station with Check Valve	1,280
Common Drain	600
Chemical Package	700
Add'l Exposed Conveyor (per foot)	1,200
S/S or Custom Belt (contact factory for price)	quote
Prison Package (contact factory for price)	quote

* Recommended minimum 8 ft. unload end with Blower / Dryer

AFT-1 Single Tank Flight-type Dishmachine

Model #	List Price	Approx. Ship Weight
AFT-1ER	45,500	2200
AFT-1EL	45,500	2200
AFT-1SR	46,300	2200
AFT-1SL	46,300	2200

E=electric heat S=steam heat L=left-to-right R=right-to-left

AFT-2 Dual Tank Flight-type Dishmachine

Model #	List Price	Approx. Ship Weight
AFT-2ER	54,600	2800
AFT-2EL	54,600	2800
AFT-2SR	55,400	2800
AFT-2SL	55,400	2800

E=electric heat S=steam heat L=left-to-right R=right-to-left

AFT-3 Triple Tank Flight-type Dishmachine

Model #	List Price	Approx. Ship Weight
AFT-3ER	63,700	3400
AFT-3EL	63,700	3400
AFT-3SR	64,500	3400
AFT-3SL	64,500	3400

E=electric heat S=steam heat L=left-to-right R=right-to-left

WIDE BELT FLIGHT-TYPE DISHMACHINES



- Standard 25 1/2" High Wash Tunnel
- Includes Insulated Doors & Hoods
- Stainless Steel All-enclosed Unit

OPTIONS

Description	List Price
Booster Heater - Electric - 40° Rise	3,100
Booster Heater - Electric - 70° Rise	3,500
Booster Heater - Gas - 40° Rise	7,700
Booster Heater - Gas - 70° Rise	9,300
Booster Heater - Steam	2,600
Blower / Dryer (Electric)*	10,500
Blower / Dryer (Steam)*	11,500
Side Spraying Wash Arms (per tank)	2,200
Hinged Doors (per tank)	1,000
Waste System Transfer Pump	2,850
Pressure Reducing Valve	180
Hose Station with Check Valve	1,280
Common Drain	600
Chemical Package	700
Add'l Exposed Conveyor (per foot)	1,200
S/S or Custom Belt (contact factory for price)	quote
Prison Package (contact factory for price)	quote

* Recommended minimum 8 ft. unload end with Blower / Dryer

Available beginning Fall '03

AFTW-1 Single Tank Flight-type Dishmachine

Model #	List Price	Approx. Ship Weight
AFTW-1ER	54,200	2600
AFTW-1EL	54,200	2600
AFTW-1SR	55,000	2600
AFTW-1SL	55,000	2600

E=electric heat S=steam heat L=left-to-right R=right-to-left

AFTW-2 Dual Tank Flight-type Dishmachine

Model #	List Price	Approx. Ship Weight
AFTW-2ER	65,500	3400
AFTW-2EL	65,500	3400
AFTW-2SR	66,300	3400
AFTW-2SL	66,300	3400

E=electric heat S=steam heat L=left-to-right R=right-to-left

AFTW-3 Triple Tank Flight-type Dishmachine

Model #	List Price	Approx. Ship Weight
AFTW-3ER	76,200	4200
AFTW-3EL	76,200	4200
AFTW-3SR	77,200	4200
AFTW-3SL	77,200	4200

E=electric heat S=steam heat L=left-to-right R=right-to-left

44, 66, 80" RACK CONVEYOR DISHMACHINES



- 25 1/2" Wash Tunnel • Single-point Water & Electric
- Tank Heat Included • Stainless Steel Front Panel

OPTIONS

Description	List Price
Vent Hood and Collar	300
Side Loader	3,450
Power Unloader	4,300
Booster Heater - Electric - 40° Rise	2,700
Booster Heater - Electric - 70° Rise	3,100
Booster Heater - Gas - 40° Rise	7,400
Booster Heater - Gas - 70° Rise	9,100
Booster Heater - Steam	2,600
Blower / Dryer (Electric)	10,500
Blower / Dryer (Steam)	11,500
Table Limit Switch	200
Common Drain	600
Pressure Reducing Valve	180
Chemical Package (Low Temp)	700
Prison Package (contact factory for price)	quote

Choose a prewash cabinet to match your soil level.

The Adamation 44" Rack Conveyor Dishmachine can be paired with either a 22" or 36" prewash cabinet to create a 66" or 80" dishmachine with additional cleaning power for more heavily soiled wares.

ARC-44 Single Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-44ER	12,300	500	86
ARC-44EL	12,300	500	86
ARC-44SR	13,100	500	86
ARC-44SL	13,100	500	86

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-66 Single Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-66ER	17,200	710	122
ARC-66EL	17,200	710	122
ARC-66SR	18,100	710	122
ARC-66SL	18,100	710	122

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-80 Single Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-80ER	21,200	800	145
ARC-80EL	21,200	800	145
ARC-80SR	22,100	800	145
ARC-80SL	22,100	800	145

E=electric heat S=steam heat L=left-to-right R=right-to-left



22" Prewash



36" Prewash

54, 76, 90" RACK CONVEYOR DISHMACHINES



- 25 1/2" Wash Tunnel • Single-point Water & Electric
- Tank Heat Included • Stainless Steel Front Panel

OPTIONS

Description	List Price
Vent Hood and Collar	300
Side Loader	3,450
Power Unloader	4,300
Booster Heater - Electric - 40° Rise	2,700
Booster Heater - Electric - 70° Rise	3,100
Booster Heater - Gas - 40° Rise	7,400
Booster Heater - Gas - 70° Rise	9,100
Booster Heater - Steam	2,600
Blower / Dryer (Electric)	10,500
Blower / Dryer (Steam)	11,500
Table Limit Switch	200
Common Drain	600
Pressure Reducing Valve	180
Chemical Package (Low Temp)	700
Prison Package <i>(contact factory for price)</i>	quote

Choose a prewash cabinet to match your soil level.

The Adamation 54" Rack Conveyor Dishmachine can be paired with either a 22" or 36" prewash cabinet to create a 76" or 90" dishmachine with additional cleaning power for more heavily soiled wares.

ARC-54 Single Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-54ER	13,800	550	102
ARC-54EL	13,800	550	102
ARC-54SR	14,600	550	102
ARC-54SL	14,600	550	102

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-76 Single Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-76ER	18,700	760	139
ARC-76EL	18,700	760	139
ARC-76SR	19,600	760	139
ARC-76SL	19,600	760	139

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-90 Single Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-90ER	22,700	850	162
ARC-90EL	22,700	850	162
ARC-90SR	23,600	850	162
ARC-90SL	23,600	850	162

E=electric heat S=steam heat L=left-to-right R=right-to-left



22" Prewash



36" Prewash

64, 86, 100" RACK CONVEYOR DISHMACHINES



- 25 1/2" Wash Tunnel • Single-point Water & Electric
- Tank Heat Included • Stainless Steel Front Panel

OPTIONS

Description	List Price
Vent Hood and Collar	300
Side Loader	3,450
Power Unloader	4,300
Booster Heater - Electric - 40° Rise	2,700
Booster Heater - Electric - 70° Rise	3,100
Booster Heater - Gas - 40° Rise	7,400
Booster Heater - Gas - 70° Rise	9,100
Booster Heater - Steam	2,600
Blower / Dryer (Electric)	10,500
Blower / Dryer (Steam)	11,500
Table Limit Switch	200
Common Drain	600
Pressure Reducing Valve	180
Chemical Package (Low Temp)	700
Prison Package (contact factory for price)	quote

Choose a prewash cabinet to match your soil level.

The Adamation 64" Rack Conveyor Dishmachine can be paired with either a 22" or 36" prewash cabinet to create a 86" or 100" dishmachine with additional cleaning power for more heavily soiled wares.

ARC-64 Dual Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-64ER	22,300	792	135
ARC-64EL	22,300	792	135
ARC-64SR	23,600	792	135
ARC-64SL	23,600	792	135

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-86 Dual Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-86ER	27,200	1002	155
ARC-86EL	27,200	1002	155
ARC-86SR	28,500	1002	155
ARC-86SL	28,500	1002	155

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-100 Dual Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-100ER	31,200	1092	178
ARC-100EL	31,200	1092	178
ARC-100SR	32,500	1092	178
ARC-100SL	32,500	1092	178

E=electric heat S=steam heat L=left-to-right R=right-to-left



22" Prewash



36" Prewash

88, 110, 124" RACK CONVEYOR DISHMACHINES



- 25 1/2" Wash Tunnel • Single-point Water & Electric
- Tank Heat Included • Stainless Steel Front Panel

OPTIONS

Description	List Price
Vent Hood and Collar	300
Side Loader	3,450
Power Unloader	4,300
Booster Heater - Electric - 40° Rise	2,700
Booster Heater - Electric - 70° Rise	3,100
Booster Heater - Gas - 40° Rise	7,400
Booster Heater - Gas - 70° Rise	9,100
Booster Heater - Steam	2,600
Blower / Dryer (Electric)	10,500
Blower / Dryer (Steam)	11,500
Table Limit Switch	200
Common Drain	600
Pressure Reducing Valve	180
Chemical Package (Low Temp)	700
Prison Package <i>(contact factory for price)</i>	quote

Choose a prewash cabinet to match your soil level.

The Adamation 88" Rack Conveyor Dishmachine can be paired with either a 22" or 36" prewash cabinet to create a 110" or 124" dishmachine with additional cleaning power for more heavily soiled wares.

ARC-88 Dual Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-88ER	25,300	1000	175
ARC-88EL	25,300	1000	175
ARC-88SR	26,600	1000	175
ARC-88SL	26,600	1000	175

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-110 Dual Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-110ER	30,200	1210	195
ARC-110EL	30,200	1210	195
ARC-110SR	31,500	1210	195
ARC-110SL	31,500	1210	195

E=electric heat S=steam heat L=left-to-right R=right-to-left

ARC-124 Dual Tank Rack Conveyor Dishmachine

Model #	List Price	Ship Weight	Cube
ARC-124ER	34,200	1300	218
ARC-124EL	34,200	1300	218
ARC-124SR	35,500	1300	218
ARC-124SL	35,500	1300	218

E=electric heat S=steam heat L=left-to-right R=right-to-left



22" Prewash



36" Prewash

DOOR-TYPE DISHMACHINES & GLASSWASHERS



ADT-IHTB



ADT-ILT

ADT-IHT Door-type High Temp Dishmachine

Model #	List Price	Ship Weight	Cube
ADT-IHT	8,050	325	40

Field-convertable to corner model. Normal electrical is 208V. For 480 or other electric, add \$600.

ADT-IHTB Door-type High Temp Dishmachine

Model #	List Price	Ship Weight	Cube
ADT-IHTB	8,950	350	40

Includes built-in booster heater. Normal electrical is 208V. For 480 or other electric, add \$600. Field-convertable to corner model.

ADT-ILT Door-type Low Temp Dishmachine

Model #	List Price	Ship Weight	Cube
ADT-ILT	4,480	300	40

Field-convertable to corner model.

Available 3rd Quarter '03:

ADT-IHTX Extra High Door-type High Temp

Model #	List Price	Ship Weight	Cube
ADT-IHTX	9,250	375	47

Extra-high machine to accommodate 18x26" sheet pans or 60 qt. mixing bowls. Normal electrical is 208V. For 480 or other electric, add \$600. Field-convertable to corner model. Available third qtr. '03.

ADT-IHTBX Extra High Door-type High Temp

Model #	List Price	Ship Weight	Cube
ADT-IHTBX	10,150	400	47

Extra-high machine to accommodate 18x26" sheet pans or 60 qt. mixing bowls. Includes built-in booster heater. Normal electrical is 208V. For 480 or other electric, add \$600. Field-convertable to corner model. Available third qtr. '03.

AUCB-1 Undercounter Dishmachine

Model #	List Price	Ship Weight	Cube
AUCB-1	4,780	200	20


Includes built-in booster heater. Available third qtr. '03.

TRAY CONVEYORS & ACCUMULATORS



Conveyors & Accumulators are custom built to order. Contact Factory for pricing.

All Adamation Tray Conveyors and Accumulators are built-to-order and are available in a wide variety of shapes and sizes to meet the unique needs of any food service operation. Please contact your Adamation representative to consult on the exact system for your requirements.



FOOD WASTE PULPER



AFWP-10 10 Hp Food Waste Pulper

<i>Model #</i>	<i>List Price</i>	<i>Ship Weight</i>	<i>Cube</i>
AFWP-10	38,600	1,200	110

Saves Water When used with an Adamation Dishmachine

The AFWP-10 can typically be plumbed to use waste water from an Adamation dishmachine in the pulping process, dramatically reducing the amount of fresh water being used for disposal purposes.

SILVERWARE BURNISHERS



ABR-120 Tabletop Rotary Silverware Burnisher

Model #	List Price	Ship Weight	Cube
ABR-120	2,010	105	5

ABR-120 Options List Price

Drain Cover	130
Portable Stand with Casters	550

ABR-200 Rotary Silverware Burnisher

Model #	List Price	Ship Weight	Cube
ABR-200	3,690	265	13

Price is for 110V/Single phase/60Hz model.
For other voltages, or 50Hz, add \$80



ABV-125 Vibratory Silverware Burnisher

Model #	List Price	Ship Weight	Cube
ABV-125	5,820	460	23

Price is for 110V/Single phase/60Hz model.
For other voltages, or 50Hz, add \$330

ABV-125 Options List Price

Locking Cover	200
---------------	-----



ABV-300 Vibratory Silverware Burnisher

Model #	List Price	Ship Weight	Cube
ABV-300	12,200	1410	63

Price is for 208V/three phase/60Hz model.
For other voltages, or 50Hz, add \$400

ABV-300 Options List Price

Locking Cover	220
Media Saver	430

LIMITED WARRANTY

Adamation hereby warrants to the original retail purchaser of the Adamation product, that if it is assembled, installed and operated in accordance with the printed instructions (technical manual) accompanying it, that said product shall be free from defects in material and workmanship, for a period of (1) year (12 months) after the date of installation or fifteen (15) months from the date of shipment from Adamation, whichever occurs first. Provided the warranty registration card is returned to Adamation within fifteen (15) days after installation. If the warranty card is not returned to Adamation within this period, the warranty will expire after one year from the date of shipment from the factory. Adamation will not assume any responsibility of extra costs from installation in any areas where there are jurisdictional problems with local trades or unions.

Adamation may require reasonable proof of your date of purchase. Therefore, you should retain your copy of the invoice or shipping document.

This limited warranty shall be limited to the repair of parts which prove defective under normal use and service within the warranty period set forth above, and which on examination shall indicate, to Adamation's satisfaction, that the parts are defective. Adamation will repair the defective part or parts. All warranty work must be done during normal working hours, by either an Adamation Appointed Service Agency or an agency receiving prior authorization from Adamation. Defective parts become the property of Adamation. Parts

replaced within the warranty period carry a warranty only until the end of the original limited warranty period. Replacement parts not supplied by Adamation will relieve Adamation of all future liability and responsibility.

This limited warranty does not cover: fuses or resetting of overload breakers, adjustment of thermostats, adjustment of clutches, opening or closing of utility supply valves or switching of electrical supply current, cleaning of valves, strainers, screens, nozzles, or spray pipes, performance of regular maintenance and cleaning as outlined in the technical manual, damages resulting from water conditions, accidents, alterations, improper use, abuse, misapplication, tampering, improper installation or failure to follow maintenance and operation procedures, fire, flood, acts of God or improper maintenance or service, or for improper operation or failure to follow normal operating instructions (as set out in the technical manual) or any failure as a result of the aforesaid.

Examples of the aforementioned, but without limitations, are: damage to exterior or interior finish as a result of the above, use with utility service other than that designated on the rating plate, improper connection to utility service, inadequate or excessive water pressure, corrosion from chemicals dispensed in excess of recommended concentrations, failure of electrical components due to connection of chemical dispensing equipment installed by others, leaks or damage resulting from such leaks as made by installer including those at machine

table connections or by connection of chemical dispensing equipment installed by others, failure to comply with local building codes, damage caused by labor dispute.

Adamation is not responsible nor liable for any conditions of erosion or corrosion caused by corrosive detergents, acids, lye or other chemicals used in the washing and/or cleaning process.

THIS WARRANTY IS THE ONLY WARRANTY APPLICABLE TO ADAMATION PRODUCTS AND IS EXPRESSLY IN LIEU OF ALL OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ANY OTHER OBLIGATION ON THE PART OF ADAMATION. THE REMEDY CONTAINED IN THIS WARRANTY IS THE SOLE REMEDY FOR ANY DEFECT FOUND TO EXIST IN AN ADAMATION PRODUCT AND ALL OTHER DAMAGES ARE EXCLUDED, INCLUDING ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Adamation does not authorize any person or company to assume for it any other obligation or liability in connection with this warranty or for any sale, installation, use, removal, return or replacement of its equipment; and no such representations are binding on Adamation.

TERMS AND CONDITIONS OF SALE

TERMS

2% 10 days / net 30 from date of invoice (if credit is established.) NOTE: A service charge of 1 1/2% per month will be charged on any unpaid balance over 30 days. C.O.D. and C.I.A. orders not subject to cash discount.

PRICES

All prices are F.O.B. Newton, MA and are subject to change without notice. Prices do not include any state, federal, or other taxes.

ORDERS

All orders are subject to factory acceptance and are accepted subject to strikes, walkouts, accidents, fire, acts of God, acts of government or other causes beyond the control of the company.

RETURNS & CANCELLATIONS

Adamation products cannot be returned without prior written factory authorization. The restocking charge is 20% plus any costs to recondition the equipment. No returns accepted after 90 days from date of invoice. Returns for credit must be freight prepaid. Orders cancelled or changed after production has started are subject to a charge of up to 20%. Any special merchandise built to a buyers specifications may not be returned or cancelled.

SHIPMENTS & FREIGHT DAMAGE

Title passes to the consignee when the merchandise is accepted by the carrier and thereafter travels at the risk of the purchaser. In case of freight damage, call this to the attention of the freight carrier and make note of damages on the delivery receipt before accepting shipment. File claim for damages with the freight company (all claims must be filed by consignee with carrier, not by or with Adamation). In cases of concealed damage, save all packaging, immediately notify carrier of your findings and intention to file claim. All orders for replacement parts or units due to freight damage will be invoiced under our normal terms. Any reimbursements or credit must come from the freight company.

FACTORY-AUTHORIZED SERVICE CENTERS

ARIZONA

GCS
5052 South 40th St.
Phoenix, AZ 85040
(800) 510-3497
FAX (602) 470-4511

CALIFORNIA

GCS
1100 E. Pico Blvd.
Los Angeles, CA 90021
(800) 327-1433
FAX (213) 683-2099

GCS
9030 Kenamar Dr. #313
San Diego, CA 92121
(800) 422-7278
FAX (858) 549-2323

GCS
360 Littlefield Ave.
Box 2168
So. San Francisco, CA 94080
(800) 969-4627
FAX (650) 871-4019

COLORADO

GCS
5052 South 40th St.
Phoenix, AZ 85040
(800) 510-3497
FAX (602) 470-4511

CONNECTICUT

GCS
302 Murphy Road
Hartford, CT 06114
(800) 423-1562
FAX (860) 527-6355

DELAWARE

GCS
P.O. Box 3564
817 N. Third Street
Philadelphia, PA 19123
(800) 441-9115
FAX (215) 925-6208

FLORIDA

GCS
3373 N.W. 168th Street
Miami, FL 33056
(800) 766-8966
FAX (305) 621-6656

FLORIDA, cont'd

GCS
3902 Corporex Park Drive,
Suite 350
Tampa, FL 33619
(800) 282-3008
FAX (813) 621-1174

GEORGIA

GCS
3127 Presidential Drive
Atlanta, GA 30340
(800) 334-3599
FAX (770) 452-7473

IDAHO

GCS
1366 S. 400 West
Salt Lake City, UT 84115
(800) 955-9201
FAX (801) 463-6148

ILLINOIS

GCS
696 North Larch Ave.
Elmhurst, IL 60126
(800) 942-9689
FAX (630) 941-6048

INDIANA

GCS
696 North Larch Ave.
Elmhurst, IL 60126
(800) 942-9689
FAX (630) 941-6048

Commercial Parts & Service
5310 E. 25th St.
Indianapolis, IN 46218
(800) 727-8710
FAX (317) 549-6286

Commercial Parts & Service
2301 N. Bendix, Ste. 800
South Bend, IN 46628
(800) 727-8714
FAX (219) 282-2635

Commercial Parts & Service
3919 Mobile Ave.
Fort Wayne, IN 46805
(800) 727-8713
FAX (219) 482-4344

INDIANA, cont'd

Commercial Parts & Service
1531 N. Heidelberg Ave.
Evansville, IN 47711
(800) 727-8715
FAX (812) 422-7561

KANSAS

GCS
6107 Connecticut
Kansas City, MO 64120
(800) 229-6477
FAX (816) 920-7367

KENTUCKY

Commercial Parts & Service
4204 S. Brook St.
Louisville, KY 40214
(800) 752-6160
FAX (502) 367-0400

Commercial Parts & Service
533 Codell Dr. Unit A
Lexington, KY 40509
(800) 432-9260
FAX (859) 269-7016

MAINE

GCS
180 Second Street
Chelsea, MA 02150
(800) 225-1155
FAX (617) 889-1222

MARYLAND

GCS
2660 Pittman Drive
Silver Spring, MD 20910
(800) 638-7278
FAX (301) 495-4410

MASSACHUSETTS

GCS
180 Second Street
Chelsea, MA 02150
(800) 225-1155
FAX (617) 889-1222

GCS
302 Murphy Road
Hartford, CT 06114
(800) 423-1562
FAX (860) 527-6355

MICHIGAN

GCS
31829 W. Eight Mile Rd.
Livonia, MI 48152
(800) 772-2936
FAX (248) 426-7555

MINNESOTA

GCS
2857 Louisiana Ave. N.
Minneapolis, MN 55427
(800) 345-4221
FAX (763) 546-4286

MISSISSIPPI

Commercial Parts & Service
2815 19th Ave. Unit A
Gulfport, MS 39501
(877) 964-2722
FAX (228) 822-9412

Commercial Parts & Service
5755 Gallant Drive
Jackson, MS 39206
(800) 274-5954
FAX (601) 956-1200

MISSOURI

GCS
6107 Connecticut
Kansas City, MO 64120
(800) 229-6477
FAX (816) 920-7387

GCS
9722 Reavis Park Drive
St. Louis, MO 63123
(800) 284-4427
FAX (314) 638-0135

NEVADA

GCS
1100 E. Pico Blvd.
Los Angeles, CA 90021
(800) 327-1433
FAX (213) 683-2099

NEW HAMPSHIRE

GCS
180 Second Street
Chelsea, MA 02150
(800) 225-1155
FAX (617) 889-1222

NEW JERSEY

GCS
P.O. BOX 3564
817 N. Third Street
Philadelphia, PA 19123
(800) 441-9115
FAX (215) 925-6208

GCS
932 Grand Street
Brooklyn, NY 11211
(800) 969-4271
FAX (718) 486-6772

NEW YORK

GCS
932 Grand Street
Brooklyn, NY 11211
(800) 969-4271
FAX (718) 486-6772

GCS
302 Murphy Road
Hartford, CT 06114
(800) 423-1562
FAX (860) 527-6355

A.I.S.
1336 Main St.
Buffalo, NY 14209
(800) 722-1252
FAX (716) 884-0410

A.I.S.
80 Rockwood Place
Rochester, NY 14610
(800) 458-4198
FAX (716) 461-5545

A.I.S.
109 Main St.
Binghamton, NY 13790
(607) 797-3440
FAX (607) 797-3525

A.I.S.
9 W. Main St.
Falconer, NY 14733
(800) 552-6556
FAX (716) 665-4227

A.I.S.
200 Salina St., Suite 114
Liverpool, NY 13088
(800) 371-5921
FAX (315) 453-1412

A.I.S.
364 State St.
Elmira, NY 14901
(607) 734-6072
FAX (607) 734-9294

NORTH DAKOTA

GCS
2857 Louisiana Ave. N.
Minneapolis, MN 55427
(800) 345-4221
FAX (763) 546-4288

OHIO

GCS
2830 Johnstown Road
Columbus, OH 43219
(800) 282-5406
FAX (614) 476-1196

A.I.S.
1975 Hubbard Rd.
Madison, OH 44057
(800) 428-8448
FAX (440) 428-2784

PENNSYLVANIA

GCS
P.O. Box 3564
817 N. Third Street
Philadelphia, PA 19123
(800) 441-9115
FAX (215) 925-6208

GCS
210 Vista Park Drive
Pittsburgh, PA 15205
(800) 738-1221
FAX (412) 787-5005

A.I.S.
740 Vista Park Drive
Pittsburgh, PA 14610
(800) 726-6020
FAX (412) 809-0246

A.I.S.
1816 W. 26th St.
Erie, PA 16508
(800) 332-3732
FAX (814) 452-4843

RHODE ISLAND

GCS
180 Second Street
Chelsea, MA 02150
(800) 225-1155
FAX (617) 889-1222

SOUTH DAKOTA

GCS
2857 Louisiana Ave. N.
Minneapolis, MN 53427
(800) 345-4221
FAX (763) 546-4286

TENNESSEE

Commercial Parts & Service
3717 Cherry Rd.
Memphis, TN 38118
(800) 262-9155
FAX (901) 366-4588

Commercial Part & Service
748 Fesslers Ln.
Nashville, TN 37210
(800) 831-7174
FAX (615) 577-8885

Chattanooga area
GCS
3127 Presidential Drive
Atlanta, GA 30340
(800) 334-3599
FAX (770) 452-7473

TEXAS

GCS
8222 N. Lamar #F-51
Austin, TX 78753
(800) 872-6913
FAX (512) 719-3889

GCS
10850 Sanden Drive
Dallas, TX 75238-5325
(800) 442-5026
FAX (214) 340-2363

GCS
2120 Solona Street
Forth Worth, TX 76117
(800) 433-1804
FAX (800) 272-7358

GCS
8150 Westpark
Houston, TX 77063
(800) 442-5026
FAX (713) 785-3979

UTAH

GCS
1366 S. 400 West
Salt Lake City, UT 84115
(800) 955-9201
FAX (801) 463-6148

VERMONT

GCS
180 Second Street
Chelsea, MA 02150
(800) 225-1155
FAX (617) 889-1222

VIRGINIA

GCS
2421 Grenoble Road
Richmond, VA 23294
(800) 899-5949
FAX (804) 672-2888

GCS
2660 Pittman Drive
Silver Spring, MD 20910
(800) 638-7278
FAX (301) 495-4410

WASHINGTON STATE

GCS
360 Littlefield Avenue
Box 2168
So. San Francisco, CA 94080
(800) 969-4427
FAX (650) 871-4019

WASHINGTON, D.C.

GCS
2660 Pittman Drive
Silver Spring, MD 20910
(800) 638-7278
FAX (301) 495-4410

WEST VIRGINIA

GCS
210 Vista Park Drive
Pittsburgh, PA 15205
(800) 738-1221
FAX (412) 787-5005

WISCONSIN

GCS
2857 Louisiana Ave. N.
Minneapolis, MN 55427
(800) 345-4221
FAX (763) 546-4286

